## **WEST Search History**

|--|

DATE: Friday, January 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=F	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ	
	L126	L125 and merge and joinin\$3	1
	L125	L124 and node\$1	1
	L124	L106 and anti\$monotonicity	2
	L123	L122 and anti\$monotonicity	0
	L122	L121 and template\$1	21
	L121	L120 and discover\$3	56
	L120	L118 and algorithm\$1	. 75
	L119	L118 and l105	6
	L118	5692107 .uref.	98
	L117	L116 and pattern\$1 and temlate\$1	0
	L116	L115 and (data near5 min\$3)	6
	L115	(knowledge and rule\$1).ti. and @py<=2004	194
	L114	L113 and (multi\$attribute\$1 same merg\$3)	1
	L113	1109 and (data near5 template\$1)	69
	L112	L111 and rule\$1	6
	L111	L110 and item\$1 and algorithm\$1	8
	L110	L109 and pre\$sort\$3	14
	L109	L106 and discover\$3 and minin\$3 and attribute\$1	702
	L108	L106 and pattern\$1 and temlate\$1	1
	L107	L106 and (pattern\$1 same temlate\$1)	0
	L106	L104 or 180	23142
	L105	L104 and 180	156
	L104	706/45-47,61.ccls.	1835
	L103	6311173 .uref.	5
	L102	L101 and (min\$3 near5 item\$1)	4
	L101	L100 and template\$1	10
	L100	L99 and pattern\$1	59
	L99	L98 and algorithm\$1	69
	L98	L97 and 180	73
	L97	L96 and 17	130

	L96	database\$1 and min\$3 and discover\$3 and rule\$1 and @py<=2004	12359
	L95	L94 and merge and jin\$3 and pattern\$1	5
	L94	L92 and algorithm\$1 and rule\$1	1132
	L93	L92 and (k\$mean near5 algorithm\$1)	0
	L92	(item\$1 or (multiple near5 item\$1)) and template\$1 and discover\$3 and attribute\$1 and @py<=2004	2268
	L91	6385608 .uref.	1
	L90	5933821 .uref.	6
	L89	L88 and (k\$itemset\$1)	1
	L88	5787274 .uref.	49
	L87	L86 and (pre\$sort\$3) and value\$1	10
	L86	L85 and attribute\$1 and item\$1	520
	L85	L84 and pattern\$1	1155
	L84	180 and min\$3 and discover\$3	1932
	L83	L82 and (multi near5 attribute\$1)	4
	L82	L81 and rule\$1	97
	L81	L80 and 179	139
	L80	707/1-2,6-7,100-102,200.ccls.	21463
	L79	(data near5 min\$3) and template\$1 and (data near5 set\$1) and @py<=2004	1429
	L78	(template\$1 and relational and discover\$3).ti,ab. and @py<=2004	1
	L77	L76 and merge and join\$3	1
	L76	L75 and sort\$3	3
	L75	L74 and attribute\$1	3
	L74	L73 and template	5
	L73	L71 and (data near5 mining)	21
	L72	L71 and (data near5 minining)	0
	L71	(k\$mean\$1 and algorithm\$1 and top\$down) and @py<=2004	48
	L70	(k\$mean\$1 and algorithm\$1 and merge\$join and top\$down) and @py<=2004	0
	L69	L66 and join\$3	0
	L68	L66 and merge	0
	L67	L66 and sort\$3	0
	L66	L65 and template\$1	1
	L65	L64 and pattern\$1	2
	L64	L63 and (discover\$3 or knowledge)	2
	L63	L62 and attribute\$1	2
Γ	L62	'anti-monotonicity' and 'k-itemsets' and @py<=2004	2
	L61	(k\$mean\$1 and algorithm\$1 and anti\$monotonicity) and @py<=2004	0
	L60	(k-mean\$1 and algorithm\$1 and anti\$monotonicity) and @py<=2004	0

	L59	(k-mean\$1 and algorithm\$1 and data and minin\$3 and template and anti\$monotonicity) and @py<=2004	0
	L58	L57 and (data near5 sets)	9
	L57	L56 and attributes	9
	L56	L55 and (mining near5 pattern)	11
	L55	mining near5 template	62
	L54	6061682.uref.	21
	L53	L52 and @py<=2003	11
	L52	(discover\$3 and mining).ti.	24
	L51	(knowledge and mining).ti. L49	0
	L50	(discover\$3 and mining).ti. L49	0.
	L49	6292797.uref.	8
	L48	L47 and attributes	4
	L47	(mining and pattern and discovery).ti,ab. and @py<=2003	17
	L46	(mining and pattern and discovery).ti.	0
	L45	(mining and pattern and discovery).ti,ab.	23
	L44	(pattern near5 join\$3) and (pattern near5 template) and relational and database\$1 and mining and tables	3
	L43	(5809499 or 6434570).pn.	4
	L42	relational and databases and knowledge and discovery and pattern and merge and join and sort\$3 and nodes and templates and attributes and tables and values and preference\$1 and @py<=2003	38
	L41	L40 and algorithms	8
	L40	L39 and (knowledge near5 base)	9
	L39	L38 and mining	51
	L38	L37 and attributes	51
	L37	L36 and mining	68
	L36	merge and joining and discovery	752
	L35	'merge-joining' and discovery	1
	L34	'merge-joining' and data and tables and mining	1
□ .	L33	L31 and (mining near5 preference\$1)	0
	L32	L31 and (mining near5 preferences)	. 0
	L31	L30 and (user near5 interfac\$3)	24
	L30	L29 and (data near5 mining)	24
	L29	L28 and (data near5 set\$1)	24
	L28	L25 and hierarchical	25
	L27	L25 and 'anti-monotonicity'	. 0
	L26	L25 and monotonicity	0
	L25	L24 and templates	25

L24	knowledge and data and mining and join and merge and pattern and attributes and tables and fields and rules and algorithms and @py<=2003	29
L23	'anti-monotonicity property'	4
L22	antimonotonicity property	0
L21	L20 and templates	2
L20	L19 and discover\$3	5
L19	L18 and pattern	6
L18	L17 and (multiple near5 attributes)	15
L17	relational near5 dataset\$1	90
L16	L11 and pattern	14
L15	L13 and join	2
L14	L13 and merge	3
L13	L11 and relationships	14
L12	L11 and mining and templates	1
L11	(discovery near5 techniques) and (multiple near5 attributes)	23
L10	L9 and (discover\$3 near5 (attribute\$1 or field\$1))	7
L9	L8 and template\$1	24
L8	L7 and (mining near5 rule\$1)	154
L7	mining near5 (attribute\$1 or field\$1)	1894
L6	(multiple near5 data) and (data near5 sets) and (data near5 mining) and (mining near5 templates) and ((discover\$3 or knowledge) near5 (attribute\$1 or table\$1))	4
 L5	(multiple near5 data) and (data near5 sets) and (data near5 mining) and (mining near5 templates) and ((discover\$3 or knowledge) near5 (attribute\$1 or table\$1)) and @py<=2003	C
L4	(data near5 mining) and (anti\$monotonicity)	5
L3	L2 and (anti\$monotonicity)	C
L2	(data and mining and attribute\$1 and data and set\$1 and relational and (multiple near5 item\$1) and template\$1) and @py<=2004	33
L1	(data and mining and attribute\$1 and data and set\$1 and relational and (multiple near5 item\$1) and template\$1) and @py<=2004	33

END OF SEARCH HISTORY

## **WEST Search History**

	Restore	Olassa	0
Hide Items	Restore	Clear	Cancel

DATE: Friday, January 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>	
DB=PGPB; $PLUR=YES$ ; $OP=OR$				
<u> </u>	L30	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1 and generat\$3 and anti\$monotonicity and sort\$3 and propert\$3 and preference\$1).clm.	1	
	L29	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1 and generat\$3 and anti\$monotonicity and sort\$3 and propert\$3).clm.	1	
	L28	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1 and generat\$3 and anti\$monotonicity and sort\$3).clm.	1	
	L27	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1 and generat\$3 and anti\$monotonicity).clm.	1	
	L26	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1 and generat\$3).clm.	1	
Ī	L25	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3 and rule\$1).clm.	1	
	L24	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1 and merge\$join\$3).clm.	. 1	
	L23	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1 and value\$1).clm.	1	
	L22	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational and candidate and pattern\$1).clm.	1	
	L2 <sup>-</sup> 1	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1 and relational).clm.	1	
	L20	(discover\$3 and attribute\$1 and multi\$attribute\$1 and template\$1).clm.	1	
	L19	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and (item\$1 or record\$1 or data) and top\$down and anti\$monotonicity).clm.	0	
	L18	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and (item\$1 or record\$1 or data) and top\$down).clm.	1	
	L17	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and (item\$1 or record\$1 or data) top\$down).clm.	433	
	L16	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and (item\$1 or record\$1 or data)).clm.	257	
	L15	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and (item\$1 or record\$1 or data)).clm	9188	

L14	min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3 and rule\$1 and value\$1 and item\$set\$1 and pattern\$1 and node\$1).clm.	0
L13	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3 and rule\$1 and value\$1 and itemset\$1 and pattern\$1 and node\$1).clm.	0
L12	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3 and rule\$1 and value\$1 and itemset\$1).clm.	0
L11	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3 and rule\$1 and value\$1).clm.	1
L10	(relational and data and set\$1 and (attribute\$1 or tuple\$1) and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3 and rule\$1).clm.	1
L9	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1 and discover\$3).clm.	1
L8	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3 and template\$1).clm.	1
L7	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1 and pre\$sort\$3).clm.	1
L6	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3 and pattern\$1).clm.	1
L5	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge and join\$3).clm.	1
L4	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1 and merge).clm.	1
L3	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3 and preference\$1).clm.	2
L2	(relational and data and set\$1 and (attribute\$1 or tuple\$1)and multiple and min\$3).clm.	38
L1	(relational and data and set\$1 and (attribute\$1 or tuple\$1)).clm.	257

END OF SEARCH HISTORY